

Date: 5/Jul/2016

Overall Information

Table1- Overall Information

	Crail Injoination	
Vehicle plate number	78524	
CPK data logger number	LN: 001443, DN: 1930,Sim +989218786219	
Bus line	Number 4 (south to north Bus line)	
Bus Terminals	Tehran South Bus Terminal - Park Way Bus Terminal	
Total path distance	22.8 km	
DPF producer company	PURItech (Passive system with FBC)	
Installation date	28/Jan/2015	
Report period	01/Jun/2016 – 15/Jun/2016 (fifteen days)	
K value	1.90	
K value	0.02	

Table 2- DPF Maintenance History

	DPF core was removed on Jul 22 nd and was	
Filter maintenance date	cleaned on Aug 12 th for the first time.	
	Considering system relatively high backpressure,	
	filter isolation defect and air filter's deformation,	
	DPF core was removed on Sep 16 th and installed	
	on Nov 17 th .	
	The third cleaning was unavoidable after only 6	
	days working and was done on 29th Nov. System	
	only worked for two days and DPF was replaced	
	by muffler on Nov 30 th .	
	DPF was installed for the fourth time on	
	Jan/19/2016 and was replaced by muffler after	
	only three days working because of high	
	backpressure.	
	A new DPF core was installed on May/14/2016.	
Dosing status	Dosing value has been kept constant from	
	installation date until now.	



Date: 5/Jul/2016

Table 3- Fuel and Additive Consumption Information

Table 3- Fuel and Additive C	onsumption injornation
Bus mileage (from DPF installation date)	88292 km
Bus mileage over the period	3077 km
Working days over the period	13 days
Stop days	2 days
Data logger working days	13 days
Working hours over the period	186 hours 34 minutes
Average working hours per day (including stop days)	12 hours 26 minutes
Bus average speed	16.5 km/hr
idle speed time to all working time ration	24.73 %
Total Bus fuel consumption over the period	1661 lit
Fuel consumption per hour	8.9 lit/hr
Average fuel consumption	0.54 lit/km
Total Bus additive consumption over the period	0.788 lit
Average additive consumption	256 cc/km
Additive consumption to fuel ration	475 cc/1000lit



Date: 5/Jul/2016

Temperature, Pressure and Engine Speed Overview




Figure 1- Pressure distribution over the working hours




Figure 2-Temperature distribution over the working hours



Date: 5/Jul/2016




Figure 3- Engine speed distribution over the working hours

Table 4- Mean values

Mean temperature (C)	Mean pressure(mbar)	Mean engine speed(rpm)
281.7	26.85	934

Table 5- Mean values without idling

Mean temperature (C)	Mean pressure(mbar)	Mean engine speed(rpm)
305.05	33.75	1061

Table 6- Max-min values

Max-min temperature(C)	Max-min pressure(mbar)	Max-min engine speed(rpm)
650-50	198-0	2112-368



Date: 5/Jul/2016

Detailed Pressure Analysis




Figure 4- Pressure distribution over the period




Figure 5- Pressure vs. working hours

Notice: backpressure distribution was shown into two diagrams. As obvious in figure 5, stopworking periods were eliminated and pressure was displayed along working hours.



Date: 5/Jul/2016

Detailed Temperature Analysis




Figure 6- Temperature distribution over the period




Figure 7- Temperature vs. working hours



Date: 5/Jul/2016

Engine Speed Diagrams




Figure 8- Engine speed distribution over the period




Figure 9- Engine speed diagram for calculating CPK's working days



Date: 5/Jul/2016




Figure 10- Time diagram for calculating CPK's working days

Notice: Data logger sampling time can be calculated from Figure 10. The lines parallel with Date axis show days without data logger data. As depicted in Figure 10

Pressure-Engine Speed diagrams




Figure 11- Pressure against engine speed



Date: 5/Jul/2016




Figure 12- P, N distribution vs. working hours

Temperature-Engine Speed diagrams




Figure 13- Temperature against engine speed



Date: 5/Jul/2016




Figure 14- T, N distribution vs. working hours

Filter Operation Analysis

- As depicted in Figure 1, none of working time, pressure was above 200 mbar.
- Figure 2 displays flow temperature before the DPF. It can be obviously observed that 17.5% of total working time temperature is above 400 °C and 26.3% above 350°C.

Filter operation status	Excellent ■	Good □
	Maintenance required □	Failed 🗆