

Overall Information

Table1- Overall Information

Vehicle plate number	85182
CPK data logger number	LN: 001502, DN: 1999
Bus line	Number 10 (south to north Bus line)
Bus Terminals	Azadi square - Daneshgah square
Total path distance	10.7 km
DPF producer company	Tehag_01 (Catalyzed DPF)
Installation date	24/Sep/2015
Report period	24/Sep/2015 – 30/Sep/2015 (seven days)
K value - DPF upstream	1.84 [1/m]
K value – DPF downstream	0.02 [1/m]

Table 2- DPF Maintenance History

Filter maintenance date	Filter have been working from installation date without any cleaning.
-------------------------	---

Table 3- Fuel and Additive Consumption Information

Bus mileage (from DPF installation date)	666 km
Bus mileage over the period	666 km
Working days over the period	5 days
Stop days	2 days
Data logger working days	5 days
Working hours over the period	78 hours 1 minutes
Average working hours per day (including stop days)	11 hours 9 minutes
Bus average speed	8.54 km/hr
idle speed time to all working time ration	68.65 %
Total Bus fuel consumption over the period	375 lit
Fuel consumption per hour	4.81 lit/hr
Average fuel consumption	0.56 lit/km

Notice: Fuel consumption's data can't be fully reliable due to report's short period.

Temperature, Pressure and Engine Speed Overview




Figure 1- Pressure distribution over the working hours




Figure 2- Temperature distribution over the working hours




Figure 3- Engine speed distribution over the working hours

Table 4- Mean values

Mean temperature (C)	Mean pressure(mbar)	Mean engine speed(rpm)
201.03	4.79	743

Table 5- Mean values without idling

Mean temperature (C)	Mean pressure(mbar)	Mean engine speed(rpm)
273.43	15.07	1175

Table 6- Max-min values

Max-min temperature(C)	Max-min pressure(mbar)	Max-min engine speed(rpm)
506-50	102-0	4000-256

Detailed Pressure Analysis




Figure 4- Pressure distribution over the period




Figure 5- Pressure vs. working hours

Notice: backpressure distribution was shown into two diagrams. As obvious in figure 5, stop-working periods were eliminated and pressure was displayed along working hours.

Detailed Temperature Analysis




Figure 6- Temperature distribution over the period




Figure 7- Temperature distribution over the period

Notice: Temp 2 sensor was installed on this system on Sep 29th.




Figure 8- Temperature vs. working hours




Figure 9- Temperature vs. working hours

Engine Speed Diagrams




Figure 10- Engine speed distribution over the period




Figure 11- Engine speed diagram for calculating CPK's working days




Figure 12- Time diagram for calculating CPK's working days

Notice: Data logger sampling time can be calculated from Figure 12. The lines parallel with Date axis show days without data logger data. As depicted in Figure 12, bus was stopped from 24th to 25th Sep due to DPF installation affairs.

Pressure-Engine Speed diagrams




Figure 13- Pressure against engine speed




Figure 14- P, N distribution vs. working hours

Temperature-Engine Speed diagrams




Figure 15- Temperature against engine speed




Figure 16- T, N distribution vs. working hours

Filter Operation Analysis

- As depicted in figure 1, only 0.01% of working time pressure was above 100 mbar during this period.
- Figure 2, 17 display flow temperature distribution for DPF's upstream. It can be obviously observed that 11% of total working-time temperature is above 350 °C and 22% above 250°C. Considering DPF company recommended operable situation (30% above 250°C), beside high idle working time (69%) during this period, which was because of bus painting and cleaning issues, it could be concluded this DPF operation was fantastic during this period.




Figure 17. Cumulative diagram of exhaust gas temperature

Filter operation status	Excellent <input checked="" type="checkbox"/>	Good <input type="checkbox"/>
	Maintenance required <input type="checkbox"/>	Failed <input type="checkbox"/>