

Date: 21/Mar/2016

Overall Information

Table1- Overall Information

	in injerimenen	
Vehicle plate number	85182	
CPK data logger number	LN: 001502, DN: 1999	
Bus line	Number 10 (south to north Bus line)	
Bus Terminals	Azadi square - Daneshgah square	
Total path distance	10.7 km	
DPF producer company	Tehag_01 (Catalyzed DPF)	
Installation date	24/Sep/2015	
Report period	01/Feb/2016 – 15/Feb/2016 (fifteen days)	
K value - DPF upstream	1.85 [1/m]	
K value – DPF downstream	0.04 [1/m]	

Table 2- DPF Maintenance History

Filter maintenance date	Filter have been working from installation date without any cleaning.
Dosing status	This system doesn't use additive.



Date: 21/Mar/2016

Table 3- Fuel and Additive Consumption Information

Due mile one (from DDF installation data)	7400 lum
Bus mileage (from DPF installation date)	7499 km
Bus mileage over the period	405 km
Working days over the period	7 days
Stop days	8 days
Data logger working days	7 days
Working hours over the period	86 hours 0 minutes
Average working hours per day (including stop days)	5 hours 43 minutes
Bus average speed	4.7 km/hr
idle speed time to all working time ration	74.97 %
Total Bus fuel consumption over the period	284 lit
Fuel consumption per hour	3.3 lit/hr
Average fuel consumption	0.7 lit/km



Date: 21/Mar/2016

Temperature, Pressure and Engine Speed Overview




Figure 1- Pressure distribution over the working hours




Figure 2-Temperature distribution over the working hours



Date: 21/Mar/2016




Figure 3- Engine speed distribution over the working hours

Table 4- Mean values

Mean temperature (C)	Mean pressure (mbar)	Mean engine speed(rpm)
167.82	6.48	716

Table 5- Mean values without idling

Mean temperature (C)	Mean pressure (mbar)	Mean engine speed(rpm)
242.29	20.63	1197

Table 6- Max-min values

Max-min temperature(C)	Max-min pressure (mbar)	Max-min engine speed (rpm)
438-50	138-0	2192-272



Date: 21/Mar/2016

Detailed Pressure Analysis




Figure 4- Pressure distribution over the period




Figure 5- Pressure vs. working hours

Notice: backpressure distribution was shown into two diagrams. As obvious in figure 5, stopworking periods were eliminated and pressure was displayed along working hours.



Date: 21/Mar/2016

Detailed Temperature Analysis




Figure 6- Temperature distribution over the period




Figure 7- Temperature distribution over the period



Date: 21/Mar/2016




Figure 8- Temperature vs. working hours




Figure 9- Temperature vs. working hours



Date: 21/Mar/2016

Engine Speed Diagrams




Figure 10- Engine speed distribution over the period




Figure 11- Engine speed diagram for calculating CPK's working days



Date: 21/Mar/2016



Figure 12- Time diagram for calculating CPK's working days

Notice: Data logger sampling time can be calculated from Figure 12. The lines parallel with Date axis show days without data logger data.

Pressure-Engine Speed diagrams




Figure 13- Pressure against engine speed



Date: 21/Mar/2016




Figure 14- P, N distribution vs. working hours

Temperature-Engine Speed diagrams




Figure 15- Temperature against engine speed



Date: 21/Mar/2016




Figure 16- T, N distribution vs. working hours

Filter Operation Analysis

- As depicted in figure 1, only 0.18% of working time pressure was above 100 mbar during this period.
- Figure 2, 17 display flow temperature distribution for DPF's upstream. It can be obviously observed that 3.8% of total working-time temperature is above 350 °C and 14.1% above 250°C.




Figure 17. Cumulative diagram of exhaust gas temperature

Filter operation status	Excellent ■	Good □
•	Maintenance required □	Failed□