

Date: 5/May/2016

Overall Information

Table1- Overall Information

	- Overan ingormation	
Vehicle plate number	85423	
CPK data logger number	LN: 001505, DN: 2001, Sim Number +989218469621	
Bus line	Number 4 (south to north bus line)	
Bus Terminals	South Bus Terminal - Park Way Bus Tehran Terminal	
Total path distance	22.8 km	
DPF producer company	HJS_02 (active system with FBC – electrical heater)	
Installation date	19/Feb/2015	
Report period	15/Apr/2016- 27/Apr/2016 (thirteen days)	
K value - DPF upstream	1.81 [1/m]	
K value – DPF downstream	0.02 [1/m]	

Table 2- DPF Maintenance History

	DPF was cleaned on 2016-02-03 for the first time.	
Filter maintenance date		
	Dosing value has been kept constant from installation	
Dosing status	date until now.	



Date: 5/May/2016

Table 3- Fuel and Additive Consumption Information

	. consumption injormation
Bus mileage (from DPF installation date)	75505 km
Bus mileage over the period	4492 km
Working days over the period	15 days
Stop days	0 day
Data logger working days	_*
Working hours over the period	-
Average working hours per day (including stop days)	-
Bus average speed	-
idle speed time to all working time ration	-
Total Bus fuel consumption over the period	2695 lit
Fuel consumption per hour	- lit/hr
Average fuel consumption	0.6 lit/km
Total Bus additive consumption over the period	1.28 lit
Average additive consumption	287 cc/km
Additive consumption to fuel ration	478 cc/1000lit

_* Notice: Due to electrical problem, lots of data was missed during the period. So next pages results were driven considering available data.



Date: 5/May/2016

Temperature, Pressure and Engine Speed Overview




Figure 1- Pressure distribution over the working hours




Figure 2-Temperature distribution over the working hours



Date: 5/May/2016




Figure 3- Engine speed distribution over the working hours

Table 4- Mean values

Mean temperature (C)	Mean pressure(mbar)	Mean engine speed(rpm)
240.65	9.39	833

Table 5- Mean values without idling

Mean temperature (C)	Mean pressure(mbar)	Mean engine speed(rpm)
303.4	17.75	1115

Table 6- Max-min values

Max-min temperature(C)	Max-min pressure(mbar)	Max-min engine speed(rpm)
622-58	138-0	1872-544



Date: 5/May/2016

Detailed Pressure Analysis




Figure 4- Pressure distribution over the period




Figure 5- Pressure vs. working hours

Notice: backpressure distribution was shown into two diagrams. As obvious in figure 5, stopworking periods were eliminated and pressure was displayed along working hours.



Date: 5/May/2016

Detailed Temperature Analysis




Figure 6- Temperature distribution over the period




Figure 7- Temperature distribution over the period



Date: 5/May/2016




Figure 8- Temperature vs. working hours




Figure 9- Temperature vs. working hours



Date: 5/May/2016

Engine Speed Diagrams




Figure 10- Engine speed distribution over the period




Figure 11- Engine speed diagram for calculating CPK's working days



Date: 5/May/2016




Figure 12- Time diagram for calculating CPK's working days

Notice: Data logger sampling time can be calculated from Figure 12. The lines parallel with Date axis show days without data logger data.

Notice: Because of electrical problem and missing lots of data, stop days could not be calculated from figures 11 and 12.

Pressure-Engine Speed diagrams




Figure 13- Pressure against engine speed



Date: 5/May/2016




Figure 14- P, N distribution vs. working hours

Temperature-Engine Speed diagrams




Figure 15- Temperature against engine speed



Date: 5/May/2016




Figure 16- T, N distribution vs. working hours

Filter Operation Analysis

• Due to missing lots of data, reliable judgment could not be done. But considering available data, DPF operation was excellent during the period.

Filter operation status	Excellent ■	Good □
	Maintenance required □	Failed□