

Date: 15/Aug/2015

Overall Information

Table 1- Overall Information

Vehicle plate number	85476
CPK data logger number	LN: 001508, DN: 2003, Sim +989218469624
Bus line	Number 10 (south to north Bus line)
Bus Terminals	Azadi square - Daneshgah square
Total path distance	10.7 km
DPF producer company	HJS_04 (Passive system with FBC)
Installation date	23/Feb/2015
Report period	16/Jul/2015 – 31/Jul/2015 (sixteen days)
K al a DDE advasa	4.00 [4 /]
K value - DPF upstream	1.90 [1/m]
Kuralus DDE decumentare and	0.04 [1/m]
K value – DPF downstream	0.04 [1/m]

Table 2- DPF Maintenance History

Filter maintenance date	DPF was cleaned on 22 nd Jul.
Dosing status	Dosing value has been kept constant from installation date until now.

Notice: Due to some technical problem related to bus, additive's hose was disconnected and system worked without additive from 14 to 16 Jul. Considering HJS company recommendation filter was cleaned on Jul 22nd.



Date: 15/Aug/2015

Table 3- Fuel and Additive Consumption Information

	•
Bus mileage (from DPF installation date)	23917 km
Bus mileage over the period	1832 km
Working days over the period	11 days
Stop days	5 days
Data logger working days	11 days
Working hours over the period	157 hours 21 minutes
Average working hours per day (including stop days)	9 hours 49 minutes
Bus average speed	11.64 km/hr
idle speed time to all working time ration	55%
Total Bus fuel consumption over the period	1225 lit
Fuel consumption per hour	7.78 lit/hr
Average fuel consumption	0.67 lit/km
Total Bus additive consumption over the period	0.521 lit
Average additive consumption	284 cc/km
Additive consumption to fuel ration	425 cc per 1000 lit (batch dosing with tank level)



Date: 15/Aug/2015

Temperature, Pressure and Engine Speed Overview




Figure 1- Pressure distribution over the working hours




Figure 2-Temperature distribution over the working hours



Date: 15/Aug/2015




Figure 3- Engine speed distribution over the working hours

Table 4- Mean values

Mean temperature (C)	Mean pressure (mbar)	Mean engine speed(rpm)
254.76	26.65	866

Table 5- Mean values without idling

Mean temperature (C)	Mean pressure (mbar)	Mean engine speed(rpm)
314.45	54.52	1125

Table 6- Max-min values

Max-min temperature(C)	Max-min pressure (mbar)	Max-min engine speed(rpm)
590-50	252-0	2240-256



Date: 15/Aug/2015

Detailed Pressure Analysis




Figure 4- Pressure distribution over the period




Figure 5- Pressure vs. working hours

Notice: backpressure distribution was shown into two diagrams. As obvious in figure 5, stopworking periods were eliminated and pressure was displayed along working hours.



Date: 15/Aug/2015

Detailed Temperature Analysis




Figure 6- Temperature distribution over the period




Figure 7- Temperature distribution over the period



Date: 15/Aug/2015




Figure 8- Temperature vs. working hours




Figure 9- Temperature vs. working hours



Date: 15/Aug/2015

Engine Speed Diagrams




Figure 10- Engine speed distribution over the period




Figure 11- Engine speed diagram for calculating CPK's working days



Date: 15/Aug/2015




Figure 12- Time diagram for calculating CPK's working days

Notice: Data logger sampling time can be calculated from Figure 12. The lines parallel with Date axis show days without data logger data.

Pressure-Engine Speed diagrams




Figure 13- Pressure against engine speed

Notice: Red alarm (pressure>200 mbar) and yellow alarm (200>pressure>150) ranges were indicated in figure 13.



Date: 15/Aug/2015




Figure 14- P, N distribution vs. working hours

Temperature-Engine Speed diagrams




Figure 13- Temperature against engine speed



Date: 15/Aug/2015




Figure 14- T, N distribution vs. working hours

Filter Operation Analysis

- As depicted in figure 1, only 0.09% of total working time pressure is above 200 mbar and 1.18% above 150mbar.
- Figure 2 displays flow temperature distribution for DPF's upstream. It can be obviously observed that 13% of total working-time temperature is above 400 °C and 21% above 350°C.
- This vehicle operates in line 10, so due to path characteristic of this line, engine operates in high speed.

Filter operation status	Excellent ■	Good □
	Maintenance required □	Failed□